	Type	L #	Hits	Search Text	DBs	Time Stamp	en	Er ro r De fi ni ti on
1	BRS	Ь2	89169	385/\$.ccls. 359/\$.ccls.	USPAT; US-PGPU B	2003/11/10 12:47		
2	BRS	Ь3	217	<pre>'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2'</pre>		2003/11/10 12:49		
3	BRS	L4	26	2 and 3	USPAT; US-PGPU B	2003/11/10 12:49		

	Туре	Hits	Search Text	DBs
1	IS&R	0	("('kxk' 'k x k') same ('(k.sup.k)x(k.sup.k)' '(k.sup.k) x (k.sup.k)')").PN.	USPAT; EPO; JPO
2	BRS	0	('kxk' 'k x k') same ('(k.sup.k)x(k.sup.k)' '(k.sup.k) x (k.sup.k)')	USPAT; EPO; JPO
3	BRS	0	('kxk' 'k x k') and ('(k.sup.k)x(k.sup.k)' '(k.sup.k) x (k.sup.k)')	USPAT; EPO; JPO
4	BRS	0	('kxk' 'k x k') and ('(n.sup.n)x(n.sup.n)' '(n.sup.n) x (n.sup.n)')	USPAT; EPO; JPO
5	BRS	0	('nxn' 'n x n') and ('(n.sup.n)x(n.sup.n)' '(n.sup.n) x (n.sup.n)')	USPAT; EPO; JPO
6	BRS	2418	'kxk' 'k x k') ('nxn' 'n x n') ('mxm' 'm x m'	USPAT; EPO; JPO
7	BRS	0	('(k.sup.k)x(k.sup.k)' '(k.sup.k) x (k.sup.k)')	USPAT; EPO; JPO
8	BRS	0	ksupk	USPAT; EPO; JPO
9	IS&R	0	("k.sub.k").PN.	USPAT
10	BRS	280	'k.sub.k'	USPAT
11	BRS	1926	'k.sup.2'	USPAT
12	IS&R	0	("('kxk' 'k x k') same ('k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k')").PN.	USPAT; EPO; JPO
13	BRS	0	('kxk' 'k x k') same ('k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k')	USPAT; EPO; JPO; DERWENT
14	BRS	333	'kxk' 'k x k'	USPAT
15	BRS	0	'k.sup.2xk.sup.k)' 'k.sup.2 x k.sup.k'	TA92U
16	BRS	92434	'k.sup.2'*'k.sup.2') ('k.sup.2' * 'k.sup.2'	USPAT
17	BRS	95	('k.sup.2'*'k.sup.2') ('k.sup.2' * 'k.sup.2') and ('kxk' 'k x k')	USPAT
18	BRS	0	'k.sup.2'*'k.sup.2'	USPAT
19	BRS	1	6363182.pn.	USPAT
20	BRS	0	'k.sup.2'.'k.sup.2'	USPAT
21	BRS	13	'k.sup.2' near3 input\$1	USPAT
22	BRS	20	'k.sup.2' near3 output\$3	USPAT
23	BRS	263	('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1	USPAT
24	BRS	385	('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output	USPAT
25	BRS	58	(('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) same (('k.sup.2' 'm.sup.2' 'n.sup.2' 'p.sup.2') near5 output)	USPAT
26	BRS	2109	'kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m'	USPAT

	Time Stamp	en	Er ro r De fi ni ti on	Er ro rs
1	2002/10/06 17:39			0
2	2002/10/06 17:13			0
3	2002/10/06 17:11			0
4	2002/10/06 17:10			0
5	2002/10/06 17:10		• • • • • • • • • • • • • • • • • • • •	0
6	2002/10/06 17:13			0
7	2002/10/06 17:27			0
8	2002/10/06 17:16			0
9	2002/10/06 17:27	•		0
10	2002/10/06 17:34			0
11	2002/10/06 17:36			0
12	2002/10/06 17:41			0
13	2002/10/06 17:42			0
14	2002/10/06 17:56	•		0
15	2002/10/06 17:43	•	•	0
16	2002/10/06 17:46		•	0
17	2002/10/06 17:45			0
18	2002/10/06 17:52			0
19	2002/10/06 17:48		···••	0
20	2002/10/06 17:52			0
21	2002/10/06 17:54		• • • • • • • • • • • • • • • • • • • •	0
22	2002/10/06 17:53			0
23	2002/10/06 18:03		• • • • • • • • • • • • • • • • • • • •	0
24	2002/10/06 17:56	•••••		0
25	2002/10/06 17:56			0
26	2002/10/06 18:08			0

	Туре	Hits	Search Text	DBs
27	BRS	3	<pre>'m.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output))</pre>	USPAT
28	BRS	269	(('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)	USPAT
29	BRS	466	(('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)	USPAT
30	BRS	76	output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') nearl output))	USPAT
31	BRS	7	<pre>('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))</pre>	USPAT
32	BRS	4	<pre>('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') same (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))</pre>	USPAT
33	BRS	2	("5500858" "5517495").pn.	USPAT
34	BRS	7	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 Output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output)))	USPAT
35	BRS	345	385/17.ccls.	USPAT
36	BRS	18	385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))	USPAT
37	BRS	58	385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))	USPAT

	Time Stamp	en	Dе	Er ro rs
27	2002/10/06 17:58			0
28	2002/10/06 18:06			0
29	2002/10/06 18:07			0
30	2002/10/06 18:09			0
31	2002/10/07			0
32	2002/10/07 10:37			0
33	2002/10/07 10:38			0
34	2002/10/07 12: 13			0
35	2002/10/07 11:59		,	0
36	2002/10/07 12:00			0
37	2002/10/07 12:00			0

	Type	Hits	Search Text	DBs
38	BRS	40	(385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) (('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))))	USPAT
39	BRS	19425	385/\$.ccls.	USPAT
40	BRS	63	385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))	USPAT
41	BRS	45	(385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not 385/17.ccls.	USPAT
42	BRS	580	385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))))	USPAT
43	BRS	477	(385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 't.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not ((385/\$.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) (('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'n.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) 385/17.ccls.)	USPAT
44	BRS	198	<pre>'nxn' 'pxp' 'LxL'))))) 385/17.ccls.) ('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))</pre>	USPAT; EPO; JPO; DERWENT

	Time Stamp	De fi	Er ro rs
38	2002/10/07 11:48		Ο
39	2002/10/07 11:59		0
40	2002/10/07 12:12		0
41	2002/10/07 12:02		0
42	2002/10/07 12:08		0
43	2002/10/07 12:09 2002/10/07 13:45		0
44	2002/10/07 13:45		0

	Туре	Hits	Search Text	DBs
45	BRS	173	(('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3) (x same (('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))) not ((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) ((385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2') (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) ((385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2') (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x k'	DERWENT

	Time Stamp	ts	De fi ni ti on	Er ro rs
45	2002/10/07 12:42			0

	Туре	Hits	Search Text	DBs
46	BRS		<pre>((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))) not ((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) ((385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) ((('k.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x 'mxn' 'n x n' 'mxm' 'mxn' 'pxp' 'LxL')))))) not (385/17.ccls. and (('kxk' 'k x)</pre>	DERWENT

	Time Stamp	Co mm en ts	Er ro De fi ni ti on	Er ro rs
46	2002/10/07 13:21			0

	Type	Hits	Search Text	DBs
47	BRS		("6332923" "6281998" "628952" "6246692" "6246692" "6183141" "6122252" "6097517" "6091760" "6052373" "5953143" "5914952" "5875266" "5841556" "5842947" "5748629" "5701263" "5668653" "5566014" "5559970" "5495356" "5473731" "5428218" "5408463" "5408463" "5408463" "5408272" "5349612" "5349612"	USPAT; EPO; JPO

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
47	2002/10/07 12:48			Ο

	Туре	Hits	Search Text	DBs
48	BRS	74	(("6392923" "6335930" "6281998" "6268952" "6246692" "6243178" "6183141" "6122252" "6097517" "6091760" "6052373" "5953143" "5914952" "5875266" "5841556" "5842947" "5748629" "5701263" "5668653" "5640586" "5559970" "5495356" "5473731" "5428218" "5412646" "55408463" "5408272" "5400370" "5349612" "5343468"	USPAT; EPO; JPO

	Time		Co mm en ts	fi ni ti on	Er ro rs
48	2002/1 12:49	0/07			0

	Type	Hits	Search Text	DBs
49	BRS	78	((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))) not ((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'I.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'I.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))))) not (385/17.ccls. and (('kxk' 'k x	

	Time Stamp	Co mm en ts	Er ro r De fi ni ti on	Er ro rs
49	2002/10/07 13:22			0

	Туре	Hits	Search Text	DBs
50	BRS	95	((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))) not ((('kxk' 'kxk' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) ((('kxk' 'mxm' 'nxn' 'pxp' 'LxL')))) ((('kxk' 'mxm' 'nxn' 'nxn' 'pxp' 'LxL')))) ((('kxk' 'mxm' 'nxn' 'nxn' 'pxp' 'LxL')))) ((('kxk' 'mxm' 'nxn' 'nxn' 'nxn' 'pxp' 'LxL')))) ((('kxk' 'mxm' 'nxn	DERWENT

	Time Stamp	Co mm en ts	fi ni ti on	Er ro rs
50	2002/10/07 13:22			0

	Type	Hits	Search Text	DBs
51	BRS	21	(((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3))) not ((('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 input\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 input)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') near5 output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') near1 output))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) (('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))) ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) (385/17.ccls. and (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') ((('k.sup.2' 'p.sup.2')) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL'))))) not (385/17.ccls. and (('kxk' 'k x	USPAT; EPO; JPO;
52	BRS	199	('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))	USPAT; EPO; JPO; DERWENT
53	BRS	1	(('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and (((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2' '2x2' '4x4' '16x16' '64x64') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))) not (('kxk' 'k x k' 'nxn' 'n x n' 'mxm' 'm x m') and ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same input\$3) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same input\$3)) same ((('k.sup.2' 'm.sup.2' 'n.sup.2' 'L.sup.2' 'p.sup.2') same output\$1) (('kxk' 'mxm' 'nxn' 'pxp' 'LxL') same output\$3)))	USPAT
54	BRS	1	'09/808,331'	USPAT; US-PGPUB
55	BRS	1	'09/808,331' and (path\$1 same lin\$2)	USPAT; US-PGPUB

	Time Stamp	Co mm en ts	Er ro De fi ni ti on	Er ro rs
51	2003/11/05 15:12			0
52	2003/11/10 12:43			0
53	2002/10/07 13:46			0
54	15:13			
55	2003/11/05 15:14			0

11/10/2003, EAST Version: 1.4.1

	Туре	Hits	Search Text	DBs
56	BRS	1	'09/808,331' and (path\$1)	USPAT; US-PGPUB
57	BRS	1	'09/808,331' and (k\$2 'kxk' 'k x k')	USPAT; US-PGPUB
58	BRS	1	6243178.pn.	USPAT; US-PGPUB
59	BRS	1	6243178.pn. and (fiber\$2)	USPAT; US-PGPUB
60	BRS	1	6243178.pn. and (fiber\$2 waveguide\$1)	USPAT; US-PGPUB
61	BRS	217		USPAT; EPO; JPO; DERWENT

	Time Stamp	en	Er ro De fi ni ti on	Er ro rs
56	2003/11/05 15:16			0
57	2003/11/06 14:49			0
58	2003/11/06 14:50			0
59	2003/11/06 15:22			0
60	2003/11/06 15:22			0
61	2003/11/10 12:44			Ο